



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory Geo-Chem Laboratories Pvt. Ltd., Pragati, Kanjur Marg (East), Mumbai, Maharashtra

Accreditation Standard ISO/IEC 17025: 2005

Certificate Number TC-7284 (in lieu of T-0570 & T-0370)

Page 113 of 504

Validity 15.05.2018 to 14.05.2020

Last Amended on 18.05.2018

| Sl. | Product / Material of Test | Specific Test Performed | Test Method Specification against which tests are performed | Range of Testing / Limits of Detection |
|-----|----------------------------|-------------------------|---|---|
| | | Yeast & Mould | IS 5403 | ≥ 1cfu/ml ≥ 10cfu/g |
| | | | BAM 8 th Edition, Revision A, Chapter 18 | ≥ 1cfu/ml ≥ 10cfu/g |
| | | | ISO 21527-1 | ≥ 1cfu/ml ≥ 10cfu/g |
| | | | ISO 21527-2 | |
| | | Salmonella spp. | FSSAI manual on method of microbiological testing chapter 1 | ≥ 1cfu/ml ≥ 10cfu/g |
| | | | IS 5887 (Part 3) | Qualitative (Presence/Absence/25g)/250g/375g/ml |
| | | | ISO 6579-1 | Qualitative(Detected/Not detected/25g/ml) |
| | | | BAM 8 th Edition, Revision A , Chapter 5 | Qualitative (Presence/Absence/25g) /ml |
| | | Shigella spp. | FSSAI manual on method of microbiological testing chapter 1 | Qualitative (Presence/Absence / 25g /ml) |
| | | | IS 5887 (Part 7) | Qualitative (Presence/Absence / 25g /ml) |
| | | Shigella spp. | BAM 8 th Edition, Revision A, Chapter 6 | Qualitative (Presence/Absence / 25g /ml) |
| | | | ISO 21567 | Qualitative (Presence/Absence / 25g /ml) |
| | | | FSSAI manual on method of microbiological testing chapter 1 | Qualitative (Presence/Absence / 25g /ml) |

Ashutosh D. Tatwawadi

Ashutosh D. Tatwawadi
Convenor

N. Venkateswaran

N. Venkateswaran
Program Director