



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory Geo Chem Laboratories Pvt. Ltd., Plot No-306, Udyog Vihar, Phase 2, Gurugram, Haryana

Accreditation Standard ISO/IEC 17025:2005

Certificate Number TC-6371 **Page 34 of 109**

Validity 06.10.2017 to 05.10.2019 **Last Amended on** 11.12.2018

Sl.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
		1-Methyl-2-pyrrolidinone		
		α,α -Dimethylbenzyl alcohol		
		N,N-Dimethylacetamide		
		Bis(2-methoxyethyl) ether		
		Flame Retardants	EN ISO 17881-2:2016	1mg/kg to 100 mg/kg
		Tris (1,3-dichloro-isopropyl) phosphate		
		Tris (2-chloro-isopropyl) phosphate		
		Tris (2,3-dibromopropyl) phosphate		
		Triphenyl phosphate		
		Tri-O-tolyl phosphate		
		Bis (2,3-dibromopropyl) phosphate		
		3,3,5,5-Tetrabromobisphenol A		
		2,2-Bis (chloromethyl)-1,3-prapanediyl tetrakis (2-chloroethyl) Bis (phosphate)		
		4-tert-butyl phenyl diphenyl phosphate		
		Bis (2-tert butyl phenyl)phenyl phosphate		
		Bis(2-tertbutyl-butyl phenyl)phenyl phosphate		
		Tris(2-chloro ethyl) phosphate		
		Nickel Release	EN1811:2011 + A1:2015	0.1 to 10 $\mu\text{g}/\text{cm}^2/\text{week}$
			EN 12472:2005 + A1:2009	
			EN 12471:2002	Qualitative

Ramprasath. R
Convenor

Nitin Garg
Program Manager