



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory Geo Chem Laboratories Pvt. Ltd., Plot No-306, Udyog Vihar, Phase 2, Gurugram, Haryana

Accreditation Standard ISO/IEC 17025:2005

Certificate Number TC-6371

Page 79 of 109

Validity 06.10.2017 to 05.10.2019

Last Amended on 11.12.2018

Sl.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
		transmission and absorption	(Clause 5.3)	
		Resistance of glove materials to water penetration	EN 420:2003+A1:2009 (Clause 4.2)	0.001 to 50 gm 0 to 100%
		Construction-Penetration resistance	ISO 20345:2011 (Clause 6.2.1.2)	Qualitative
			SASO ISO 20345:2011 (Clause 6.2.1.2)	
			ISO 20346:2014 (Clause 6.2.1.2)	
			SASO ISO 20346:2004 (Clause 6.2.1.2)	
			ISO 20347:2012 (Clause 6.2.1.2)	
			SASO ISO 20347:2012 (Clause 6.2.1.2)	
III.	TOYS AND SIMILAR PRODUCTS			
1.	Toys with Small parts		AS/NZS ISO 8124.1:2016 IS 9873 (Part 1):2017 ISO 8124-1:2014 Clause 4.4	Qualitative
		Drop test	Clause 5.24.2	
		Torque test	Clause 5.24.5	
		Tip over test for large Bulky toy	Clause 5.24.3	
		Tension test	Clause 5.24.6	
		Compression test	Clause 5.24.7	
		Flexure Test	Clause 5.24.8	
			Japan ST 2012, Clause 4.2	
		Drop test	Clause 5.22.2	

Ramprasath. R
Convenor

Nitin Garg
Program Manager