



National Accreditation Board for Testing and Calibration Laboratories



(A Constituent Board of Quality Council of India)

SCOPE OF ACCREDITATION

Laboratory

Geo-Chem Laboratories Pvt. Ltd., Pragati, Kanjur Marg (East),

Mumbai, Maharashtra

Accreditation Standard

ISO/IEC 17025: 2005

Certificate Number

TC-7284 (in lieu of T-0570 & T-0370)

Page 80 of 504

Validity

15.05.2018 to 14.05.2020

Last Amended on 18.05.2018

SI.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
			BAM 8 th Edition,	≥ 1cfu/ml
			Revision A, Chapter 12	≥ 10cfu/g
				3-1100 MPN/g /ml
			FSSAI manual on method	≥ 1cfu/ml
			of microbiological testing chapter 1	≥ 10cfu/g
		Clostridium perfringens	IS 5887 (Part 4)	Qualitative
			BAM 8 th Edition,	(Presence/Absence / 25g
			Revision A, Chapter 16	/ml)
			IS 5887 (Part 4)	≥ 1cfu/ml
			, ,	≥ 10cfu/g
			ISO 7937	≥ 1cfu/ml/≥ 10cfu/g
		Anaerobic mesophilic	FSSAI manual on method	Qualitative
		spore formers	of microbiological testing	(Presence/Absence / 25g
			chapter 1	/ml)
		Sulphite-reducing	ISO 15213	≥ 1cfu/ml
		Bacteria		≥ 10cfu/g
		Aerobic Microbial	IS 5402	≥ 1cfu/ml
		Count / Total Plate	ISO 4833-1	≥ 10cfu/g
		Count/ Bacterial Count/	ISO 4833-2	
		Total Viable Count/	BAM 8 th Edition,	≥ 1cfu/ml
		Aerobic mesophilic	Revision A, Chapter 3	≥ 10cfu/g
		plate count	FSSAI manual on method	≥ 10cfu/g
			of microbiological testing	
			chapter 1	
		Yeast & Mould	IS 5403	≥ 1cfu/ml
				≥ 10cfu/g
			BAM 8 th Edition,	≥ 1cfu/ml
			Revision A, Chapter 18	≥ 10cfu/g
]	ISO 21527-1	≥ 1cfu/ml
]	ISO 21527-2	≥ 10cfu/g
			FSSAI manual on method	≥ 1cfu/ml
			of microbiological testing	≥ 10cfu/g
			chapter 1	

Ashutoth

Ashutosh D. Tatwawadi Convenor belitism

N. Venkateswaran Program Director