



# National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



## SCOPE OF ACCREDITATION

Laboratory Name GEO CHEM LABORATORIES PVT. LTD., PLOT NO 306, UDYOG VIHAR, PHASE 2, GURGAON, HARYANA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6371 Page No. : 251 / 585

Validity 06/10/2019 to 05/10/2021 Last Amended on 08/11/2019

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
1335	CHEMICAL-HAZARDOUS & RESTRICTED CHEMICALS	Residue in water & Waste water	Chlorophenol: 2,3,4-trichlorophenol	GC-SOP-ANA-021 Date of issue 16.08.2018 (ZDHC waste water guide line-2016- based on LFGB.82.02-8, USEPA 8270.D, ISO 17070: 2015
1336	CHEMICAL-HAZARDOUS & RESTRICTED CHEMICALS	Residue in water & Waste water	Chlorophenol: 2,3,4-trichlorophenol	GC-SOP-ANA-021 Date of issue 16.08.2018 (ZDHC waste water guide line-2016- based on LFGB.82.02-8, USEPA 8270.D, ISO 17070: 2015
1337	CHEMICAL-HAZARDOUS & RESTRICTED CHEMICALS	Residue in water & Waste water	Chlorophenol: 2,3,5,6-tetrachlorophenol	GC-SOP-ANA-021 Date of issue 16.08.2018 (ZDHC waste water guide line-2016- based on LFGB.82.02-8, USEPA 8270.D, ISO 17070: 2015
1338	CHEMICAL-HAZARDOUS & RESTRICTED CHEMICALS	Residue in water & Waste water	Chlorophenol: 2,3,5,6-tetrachlorophenol	GC-SOP-ANA-021 Date of issue 16.08.2018 (ZDHC waste water guide line-2016- based on LFGB.82.02-8, USEPA 8270.D, ISO 17070: 2015