



# National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



## SCOPE OF ACCREDITATION

Laboratory Name GEO CHEM LABORATORIES PVT. LTD., PLOT NO 306, UDYOG VIHAR, PHASE 2, GURGAON, HARYANA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6371 Page No. : 351 / 585

Validity 06/10/2019 to 05/10/2021 Last Amended on 08/11/2019

| S.No | Discipline / Group                        | Materials or Products tested | Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed | Test Method Specification against which tests are performed and / or the techniques / equipment used                |
|------|-------------------------------------------|------------------------------|------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------|
| 1940 | CHEMICAL-HAZARDOUS & RESTRICTED CHEMICALS | Water & Waste water          | Dyes-Azo (Total 24 Aryl amines):<br>4,4 Methylene-Bis-2 Chloroaniline                                      | GC-SOP-ANA-021<br>Date of issue<br>16.08.2018 (ZDHC<br>waste water guide line-<br>2016-Based on<br>ISO14362-1: 2017 |
| 1941 | CHEMICAL-HAZARDOUS & RESTRICTED CHEMICALS | Water & Waste water          | Dyes-Azo (Total 24 Aryl amines):<br>4,4 Methylene-Bis-2 Chloroaniline                                      | GC-SOP-ANA-021<br>Date of issue<br>16.08.2018 (ZDHC<br>waste water guide line-<br>2016-Based on<br>ISO14362-1: 2017 |
| 1942 | CHEMICAL-HAZARDOUS & RESTRICTED CHEMICALS | Water & Waste water          | Dyes-Azo (Total 24 Aryl amines):<br>4,4 Oxydianiline                                                       | GC-SOP-ANA-021<br>Date of issue<br>16.08.2018 (ZDHC<br>waste water guide line-<br>2016-Based on<br>ISO14362-1: 2017 |
| 1943 | CHEMICAL-HAZARDOUS & RESTRICTED CHEMICALS | Water & Waste water          | Dyes-Azo (Total 24 Aryl amines):<br>4,4 Oxydianiline                                                       | GC-SOP-ANA-021<br>Date of issue<br>16.08.2018 (ZDHC<br>waste water guide line-<br>2016-Based on<br>ISO14362-1: 2017 |
| 1944 | CHEMICAL-HAZARDOUS & RESTRICTED CHEMICALS | Water & Waste water          | Dyes-Azo (Total 24 Aryl amines):<br>4,4 Thiodianiline                                                      | GC-SOP-ANA-021<br>Date of issue<br>16.08.2018 (ZDHC<br>waste water guide line-<br>2016-Based on<br>ISO14362-1: 2017 |