



# National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



## SCOPE OF ACCREDITATION

Laboratory Name	GEO CHEM LABORATORIES PVT. LTD., PLOT NO 306, UDYOG VIHAR, PHASE 2, GURGAON, HARYANA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-6371	Page No. :	505 / 585
Validity	06/10/2019 to 05/10/2021	Last Amended on	08/11/2019

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2705	MECHANICAL-PLASTICS AND PLASTIC PRODUCTS	Feeding Bottles	Water Tightness Test	SASO ISO 1875:2001, Clause 4.12 SASO 1876 Clause 10: 2001
2706	MECHANICAL-PLASTICS AND PLASTIC PRODUCTS	Material andarticles in contact with Foodstuffs-Insulated container for Domestic Use Part-1:Specification for Vacuum Ware, Insulated Flasks and Jugs	Handle	BS EN 12546-1 Clause 5.9: 2000
2707	MECHANICAL-PLASTICS AND PLASTIC PRODUCTS	Material andarticles in contact with Foodstuffs-Insulated container for Domestic Use Part-1:Specification for Vacuum Ware, Insulated Flasks and Jugs	Heat Loss	BS EN 12546-1 Clause 5.4: 2000
2708	MECHANICAL-PLASTICS AND PLASTIC PRODUCTS	Material andarticles in contact with Foodstuffs-Insulated container for Domestic Use Part-1:Specification for Vacuum Ware, Insulated Flasks and Jugs	Impact	BS EN 12546-1 Clause 5.8: 2000
2709	MECHANICAL-PLASTICS AND PLASTIC PRODUCTS	Material andarticles in contact with Foodstuffs-Insulated container for Domestic Use Part-1:Specification for Vacuum Ware, Insulated Flasks and Jugs	Pouring	BS EN 12546-1 Clause 5.2: 2000
2710	MECHANICAL-PLASTICS AND PLASTIC PRODUCTS	Material andarticles in contact with Foodstuffs-Insulated container for Domestic Use Part-1:Specification for Vacuum Ware, Insulated Flasks and Jugs	Seal Leakage	BS EN 12546-1 Clause 5.7: 2000