



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory Name GEO CHEM LABORATORIES PVT. LTD., PLOT NO 306, UDYOG VIHAR, PHASE 2, GURGAON, HARYANA, INDIA

Accreditation Standard ISO/IEC 17025:2017

Certificate Number TC-6371 Page No. : 510 / 585

Validity 06/10/2019 to 05/10/2021 Last Amended on 08/11/2019

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
2745	MECHANICAL-PLASTICS AND PLASTIC PRODUCTS	Soother for Babies and Young Children-Part 3 Physical Requirements	Tear Resistance	GSO 2073 Clause 5.3: 2010
2746	MECHANICAL-PLASTICS AND PLASTIC PRODUCTS	Table Ware Made from Melamine Plastics	Appearance	GSO 142 Clause 3.2: 2010
2747	MECHANICAL-PLASTICS AND PLASTIC PRODUCTS	Table Ware Made from Melamine Plastics	Capacity	GSO 142 Clause 3.3.4: 2010
2748	MECHANICAL-PLASTICS AND PLASTIC PRODUCTS	Table Ware Made from Melamine Plastics	Dimensions	GSO 142 Clause 3.3: 2010
2749	MECHANICAL-PLASTICS AND PLASTIC PRODUCTS	Table Ware Made from Melamine Plastics	Handles	GSO 142 Clause 3.3.2: 2010
2750	MECHANICAL-PLASTICS AND PLASTIC PRODUCTS	Table Ware Made from Melamine Plastics	Lips or rims	GSO 142 Clause 3.3.3: 2010
2751	MECHANICAL-PLASTICS AND PLASTIC PRODUCTS	Table Ware Made from Melamine Plastics	Resistance to Boiling Water	GSO 142 Clause 3.6, 5.4: 2010
2752	MECHANICAL-PLASTICS AND PLASTIC PRODUCTS	Table Ware Made from Melamine Plastics	Resistance to Dry Heating	GSO 142 Clause 3.7, 5.5: 2010
2753	MECHANICAL-PLASTICS AND PLASTIC PRODUCTS	Table Ware Made from Melamine Plastics	Resistance to Low Temperature	GSO 142 Clause 3.8, 5.6: 2010