



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory Geo Chem Laboratories Pvt. Ltd., Plot No-306, Udyog Vihar, Phase-2, Gurugram, Haryana

Accreditation Standard ISO/IEC 17025: 2005

Certificate Number TC-6371

Page 27 of 120

Validity 06.10.2017 to 05.10.2019

Last Amended on 06.05.2019

Sl.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
		Determination of Phthalates	CPSC-CH-C1001-09.4:2018 EN ISO 14389:2014 ISO 16181:2011	50 mg/kg to 2000 mg/kg
		1 Di-isononyl phthalate (DINP)		
		Di-(2-ethylhexyl) phthalate (DEHP)		
		Di-n-octyl phthalate (DNOP)		
		Di-iso-decyl phthalate (DIDP)		
		Butyl benzyl phthalate (BBP)		
		Di-butyl phthalate (DBP)		
		Diisobutyl phthalate (DIBP)		
		Di-n-hexyl phthalates (DnHP)		
		N-pentyl-isopentyl phthalate (NPIPP)		
		Bis (2-methoxyethyl) phthalate (DMEP)		
		dicyclohexyl phthalate (DCHP)		
		Total Lead in Non-Metal	CPSC-CH-E-1002-08:2012 EPA-3050 B	10 mg/kg to 10000 mg/kg
		Lead in Paint/Lead in surface coating (paints & other Similar Surface Coating)	CPSC-CH-E-1003-09:2009 ASTM E 1613:2012 ASTM E 1645:2016	10 mg/kg to 10000 mg/kg
		Total Lead content in Substrate	CPSC-CH-E-1002-08:2009	10 mg/kg to 10000 mg/kg
		Total content of lead and cadmium	CPSC-CH-E-1002-08:2009 EN:1122:2001 EPA-3050B	10 mg/kg to 10000 mg/kg


Ramprasath. R
Convenor


Nitin Garg
Program Manager